

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	("authoriz\$4withrespons\$3near1time and @ad<="20010628").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 10:05
S2	15	authoriz\$4 with respons\$3 near1 time and @ad<="20010628"	USPAT	OR	OFF	2005/10/13 10:05
S3	21	authoriz\$4 with respons\$3 near1 time and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 10:43
S4	1095	permit\$4 with respons\$3 near1 time and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 10:44
S5	9	permit\$4 with (respons\$3 near1 time) with location\$1 and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 10:45
S6	1	authentikat\$4 with (respons\$3 near1 time) with location\$1 and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:00
S7	0	authorizat\$4 with (respons\$3 near1 time) with location\$1 and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:01
S8	3	authorizat\$4 with (respons\$3 near4 time) with location\$1 and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:01
S9	5	authorizat\$4 same (respons\$3 near4 time) with location\$1 and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:02

S10	0	fraud with(respons\$3 near4 time) with location\$1 and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:03
S11	1	tamper\$4 with (respons\$3 near4 time) with location\$1 and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:04
S12	0	unauthorizat\$4 with (respons\$3 near4 time) with location\$1 and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:04
S13	0	unauthorizat\$4 same (respons\$3 near4 time) with location\$1 and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:04
S14	23	"713"/\$.ccls. and (respons\$3 near4 time) with location\$1 and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:06
S15	1	"713"/\$.ccls. and authenticat\$4 same(respons\$3 near4 time) with location\$1 and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:07
S16	1	"380"/\$.ccls. and authenticat\$4 same(respons\$3 near4 time) with location\$1 and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 13:58
S17	0	"380"/\$.ccls. and authenticat\$4 same(respons\$3 near4 time) with distance\$1 and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 13:58

S18	0	"713"/\$.cccls. and authenticat\$4 same(respons\$3 near4 time) with distance\$1 and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 13:58
S19	0	authenticat\$4 same(respons\$3 near4 time) with distance\$1 and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 13:59
S20	1790	(respons\$3 near4 time) with location\$1 and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 13:59
S21	0	access\$3 near1 right\$1 with (respons\$3 near4 time) with location\$1 and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 13:59
S22	2	authenticat\$3 with (respons\$3 near4 time) with location\$1 and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 14:00
S23	3	authorizat\$3 with (respons\$3 near4 time) with location\$1 and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 14:05
S24	2	invalid with (respons\$3 near4 time) with location\$1 and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 14:06
S25	2	invalid same (respons\$3 near4 time) with location\$1 and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 14:06

S26	7	invalid same (response\$3 near4 time) same location\$1 and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 14:07
S27	0	invalid same (response\$3 near4 time) same location\$1 same protected and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 14:07
S28	0	invalid same (response\$3 near4 time) same location\$1 and @ad<="20010628" and download	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 14:07
S29	7	invalid same (response\$3 near4 time) same location\$1 and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 14:08
S30	59	valid same (response\$3 near4 time) same location\$1 and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 14:08
S31	3	valid with (response\$3 near4 time) with location\$1 and @ad<="20010628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 15:49
S32	1	("6542468").PN.	USPAT; USOCR	OR	OFF	2005/10/13 15:50